

**‘Specialization in ICTs and Special Education: Psychopedagogy of Integration’
Postgraduate Program
DEMOCRITUS UNIVERSITY OF THRACE Department of Greek Philology
in collaboration with
NCSR DEMOKRITOS Informatics and Telecommunications Institute**

**EVALUATION OF MOTOR DIFFICULTIES AND MASS COMPOSITION IN
CHILDREN OF EARLY SCHOOL AGE**

TAPINOS ATHANASIOS

**POSTGRADUATE
THESIS**

SUPERVISORY COMMITTEE

1. Καμπάς Αντώνιος
Καθηγητής ΤΕΦΑΑ ΔΠΘ
2. Βενετσάνου Φωτεινή
Επίκουρη Καθηγήτρια ΤΕΦΑΑ ΕΚΠΑ
3. Καραμπατζάκη Ζωή
Συνεργαζόμενη ερευνήτρια Ι.Π.Τ. Ε.Κ.Ε.Φ.Ε. “ΔΗΜΟΚΡΙΤΟΣ”

KOMOTINI / ATHENS 2018

ABSTRACT

Athanasios Tapeinos: Evaluation of motor difficulties and mass composition in children of early school age.

(Under the supervision of Antonios Kambas, Associate Professor)

The purpose of the present study was to evaluate the effect of the different BMI of children in the first school age in their performance in tests of motor competence. The measurements performed with the use of the screening tool Democritus - Screening Tool for Preschool Children (DEMOST-PRE®). For the needs of the study 91 children of first school age were evaluated from the town of Athens. The statistic analysis concluded the calculation of Spearman's r factor for the review of interrelationship between BMI and motor difficulties. Also a variance analysis for one factor was calculated (ONE-WAY ANOVA) for the evaluation of the effect of the independent variable of BMI in the dependent variables, i.e., the performances in the nine trials of DEMOST-PRE. The results showed that the interrelationship between BMI and motor difficulties was statistically important in three of the nine tests of DEMOST-PRE ($p < .05$ και $p < .005$) and the effect of the categorized variable of BMI proved to be statistically important in two of the nine tests of DEMOST-PRE. In conclusion, according to the findings of the research, the research hypothesis, that, as the BMI increasing so does the motor difficulties seems to be supported adequately.

Key words: motor performance, body mass index, first school age

References

- APA (2013). Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition. *American Psychiatric Association*, 74-77
- Ayres J (1972). Types of sensory integrative dysfunction among disabled learners. *The American journal of occupational therapy*, 26(1), 13-18.
- Barber A., Srinivasan P., Joel S., Caffo B., Pekar J., Mostofsky S. (2012). Motor “Dexterity”?: Evidence that Left Hemisphere Lateralization of Motor Circuit Connectivity Is Associated with Better Motor Performance in Children. *Cerebral Cortex*, 22, 51-59.
- Barnett L., van Beurden E., Morgan P., Brooks L., Zask A., Beard J. (2009). Six year follow-up of students who participated in a school-based physical activity intervention: A longitudinal cohort study. *International Journal of Behavioral Nutrition and Physical Activity*, 6(48).
- Barnett L., van Beurden E., Morgan P., et al. Childhood motor skill proficiency as a predictor of adolescent physical activity. *Journal of Adolescent Health*, 44, 252–259.
- Barnett L., van Beurden E., Morgan P., Brooks L., Beard J. (2010). Gender Differences in Motor Skill Proficiency From Childhood to Adolescence. *Research Quarterly for Exercise and Sport*, 81(2), 162-170.
- Bouffard M., Watkinson E., Thompson L., Causgrove Dunn J., Romanow S. (1996). A test of the activity deficit hypothesis with children with movement difficulties. *Adapted Physical Activity Quarterly*, 13, 61–73.
- Bouziotas C., Koutedakis Y., Nevill A., et al. (2004). Greek adolescents, fitness, fatness, fat intake, activity and CHD risk. *Archives of Disease in Childhood*, 89, 41–44, 2004.

- Brown T., Lalor A. (2009). The Movement Assessment Battery for Children—Second Edition (MABC-2): A Review and Critique. *Physical & Occupational Therapy In Pediatrics*, 29(1), 86-103.
- Burgi F., Meyer U., Granacher U., Schindler C., Marques-Vidal P., Kriemler P., Puder J. (2011). Relationship of physical activity with motor skills, aerobic fitness and body fat in preschool children: a cross-sectional and longitudinal study (Ballabeina). *International Journal of Obesity*, 1-8.
- Castetbon K., Andreyeva T. (2012). Obesity and motor skills among 4 to 6-year-old children in the united states: nationally representative surveys. *BMC Pediatrics*, 12(28), 1-9.
- Cairney J., Hay J., Faght B., Mandigo J., Flouris A. (2005). Developmental coordination disorder, self-efficacy toward physical activity, and play: does gender matter? *Adapted Physical Activity Quarterly*, 22, 67–82.
- Cairney J., Hay J., Faght B., Wade T., Corna L., Flouris A. (2005). Developmental coordination disorder, generalized self-efficacy toward physical activity, and participation in organized and free play activities. *Journal of Pediatrics*, 147, 515–20.
- Cairney J., Hay J., Faght B., Flouris A., Klentrou P. (2007). Developmental coordination disorder and cardiorespiratory fitness in children. *Pediatric Exercise of Science*. 19, 20–28, 2007.
- Cairney J., Hay J., Veldhuizen S., Missiuna C., Faght B. (2009). Comparing probable case identification of developmental coordination disorder using the short form of the Bruininks-Oseretsky Test of Motor Proficiency and the Movement ABC. *Child: care, health and development*, 402-408.
- Cairney J., Hay J., Veldhuizen S., Missiuna C., Faght B. (2010). Developmental coordination disorder, sex, and activity deficit over time: a longitudinal analysis of participation trajectories in children with and without coordination difficulties. *Developmental medicine and child neurology*, 52, 67-72.

- Cairney J., Kwan M., Hay J., Faught B. (2012). Developmental Coordination Disorder, gender, and body weight: Examining the impact of participation in active play. *Research in Developmental Disabilities*, 33, 1566-1573.
- Cliff D., Okely A., Smith L., McKeen K. Relationships between fundamental movement skills and objectively measured physical activity in preschool children. (2004). *Pediatric Exercise Science*, 21, 436–449.
- Cools W., de Martelaer K., Samaey C., Andries C. (2009). Movement skill assessment of typically developing preschool children: A review of seven movement skill assessment tools. *Journal of Sports Science and Medicine*, 8, 154-168.
- Deforche B., Lefevre J., Bourdeaudhuij I., Hills A., Duquet W., Bouckaert J. (2003). Physical fitness and physical activity in obese and nonobese Flemish youth. *Obesity Reviews*, 11, 434–441.
- D'Hondt E., Deforche B., De Bourdeaudhuij I., Lenoir M. (2009). Relationship Between Motor Skill and Body Mass Index in 5- to 10-Year-Old Children. *Adapted Physical Activity Quarterly*, 26, 21-37.
- D'Hondt E., Deforche B., Vaeyens R., Vandorpe B., Vandendriessche J., Pion J., Philippaerts R., de Bourdeaudhuij I., Lenoir M. (2011). Gross motor coordination in relation to weight status and age in 5- to 12-year-old boys and girls: A cross-sectional study. *International Journal of Pediatric Obesity*, 6, 556–564.
- Ellinoudis T., Kourtessis T., Kiparissis M. (2008). Suitability of the Movement Assessment Battery for Children in Greece: Comparison between a Greek sample and the North-American normative sample of 9 and 11 year old children. *International Journal of Health Science*, 132-137.
- Ericsson I., Karlsson M. (2012). Motor skills and school performance in children with daily physical education in school – a 9-year intervention study. *Scandinavian Journal of medicine and Science in sports*, 1-6.

- Espenchade A. (2013). Development of motor coordination in boys and girls. *Research Quarterly. American Association for health, physical education and recreation*, 18(1), 30-44.
- Faught B., Cairney J., Hay J., Missiuna C., Spironello C. (2008). Screening for motor coordination challenges in children using teacher ratings of physical ability and activity. *Human Movement Science*, 27, 177–189.
- Fransen J., D'Hondt E., Bourgois J., Vaeyens R., Philippaerts R., Lenoir M. (2014). Motor competence assessment in children: Convergent and discriminant validity between the BOT-2 Short Form and KTK testing batteries. *Research in Developmental Disabilities*, 35, 1375 -1383.
- Gentier I., D'Hondt E., Shultz S., Deforche B., Augustijn M., Hoorne S., Verlaecke K., De Bourdeaudhuij I., Lenoir M. (2013). Fine and gross motor skills differ between healthy-weight and obese children. *Research in Developmental Disabilities*, 34, 4043–4051.
- Georgiadis G., Nassis G. (2007). Prevalence of overweight and obesity in a national representative sample of Greek children and adolescents. *European Journal of Clinical Nutrition*, 61, 1072–1074.
- Giagazoglou P., Kabitsis N., Kokaridas D., Zaragas C., Katartzi E., Kabitsis C. (2011). The movement assessment battery in Greek preschoolers: The impact of age, gender, birth order, and physical activity on motor outcome. *Research in Developmental Disabilities*, 32, 2577–2582.
- Gibbs J., Appleton J., Appleton R. (2007). Dyspraxia or developmental coordination disorder? Unraveling the enigma. *Archives of Disease in childhood*, 92(6), 534-539.
- Goodway J., Robinson L., Crowe H. (2010). Gender Differences in Fundamental Motor Skill Development in Disadvantaged Preschoolers from Two Geographical Regions. *Research Quarterly for Exercise and Sport*, 81(1), 17-24.

- Gubbay SS (1978). The management of developmental apraxia. *Developmental medicine and child neurology*, 20(5), 643-646.
- Haga M. (2007). The relationship between physical fitness and motor competence in children. *Child: Care, health and development*, 34(3), 329-334.
- Hands B. (2008). Changes in motor skill and fitness measures among children with high and low motor competence: A five-year longitudinal study. *Journal of Science and Medicine in Sport*, 11, 155—162.
- Hardy L., King L., Farrell L., Macniven R., Howlett S. (2010). Fundamental movement skills among Australian preschool children. *Journal of Science and Medicine in Sport*, 13, 503–508.
- Hay J., Missiuna C. (1998). Motor proficiency in children reporting low levels of participation in physical activity. *Canadian Journal of Occupational Therapy*, 65, 64–71.
- Henderson S., Henderson L. (2002). Toward an understanding of developmental coordination disorder. *Adapted Physical Activity Quarterly*, 19, 12–31.
- Hume C., Okely A., Bagley S., Telford A., Booth M., Crawford D., Salmon J. (2008). Does weight status influence associations between children's fundamental movement skills and physical activity. *Research Quarterly for Exercise and Sport*, 79, 158–165.
- Kambas A., Michalopoulou M., Fatouros I., Christoforidis C., Manthou E., Giannakidou D., Venetsanou F., Haberer E., Chatzinikolaou A., Gourgoulis V., Zimmer R. (2012). The Relationship Between Motor Proficiency and Pedometer-Determined Physical Activity in Young Children. *Pediatric Exercise Science*, 24, 34-44.
- Καραμπατζάκη, Ζ. (2010). Τεστ Ανίχνευσης Αναπτυξιακής Διαταραχής Ψυχοκινητικού Συντονισμού Παιδιών 4-8 ετών. Αθήνα: Πάραλος
- Καραμπατζάκη - Δημητρίου, Ζ. (2010). *Θέματα Ειδικής Αγωγής και Εκπαίδευσης*. Αθήνα: Πάραλος.

- Kimm S., Glynn N., Obarzanek E., et al. Relation between the changes in physical activity and body-mass index during adolescence: a multicentre longitudinal study. *Lancet*, 366, 301–307.
- Kourtessis T., Tsougou E., Maheridou M., Tsigilis N., Psalti M., Kioumourtzoglou E. (2008). Developmental coordination disorder in early childhood - A preliminary epidemiological study in greek schools. *The international journal of medicine*, 95-99.
- Koutedakis Y., Bouziotas C. (2003). National physical education curriculum: motor and cardiovascular health related fitness in Greek adolescents. *British Journal of Sports Medicine*, 37, 311– 314.
- Laukkanen A., Pesola A., Havu M., Sääkslahti A., Finni T. (2013). Relationship between habitual physical activity and gross motor skills is multifaceted in 5- to 8-year-old children. *Scandinavian journal of medicine and science in sports*, 1-9.
- Lingam R., Hunt L., Golding J., Jongmans M., Emond A. Prevalence of Developmental Coordination Disorder Using the DSM-IV at 7 Years of Age: A UK Population-Based Study. *Pediatrics: Official journal of the American academy of pediatrics*, 123, 693-700.
- Lloyd M., Saunders T., Bremer E., Tremblay M. (2014). Long-Term Importance of Fundamental Motor Skills: A 20-Year Follow-Up Study. *Adapted Physical Activity Quarterly*, 31, 67-78.
- Logan S., Robinson L., Rudisill M., Wadsworth D., Morera M. The comparison of school-age children's performance on two motor assessments: the Test of Gross Motor Development and the Movement Assessment Battery for Children. *Physical Education and Sport Pedagogy*, 1-12.
- Lopes V., Rodrigues L., Maia J., Malina R. (2011). Motor coordination as predictor of physical activity in childhood. *Scandinavian Journal of Medicine & Science in Sports*, 21, 663–669.

- Lopes V., Stodden D., Bianchi M., Maia J., Rodrigues L. (2012). Correlation between BMI and motor coordination in children. *Journal of Science and Medicine in Sports*, 15, 38–43.
- Lubans D., Morgan P., Cliff D., Barnett L., Okely A. (2010). Fundamental Movement Skills in Children and Adolescents. *Sports Med*, 40(12), 1019-1035.
- Manios Y., Costarelli V., Kolotourou M., Kondakis K., Tzavara C., Moschonis G.(2007). Prevalence of obesity in preschool Greek children, in relation to parental characteristics and region of residence. *BMC Public Health*, 7, 178.
- McNamara E., Hudson Z., Taylor S.. Measuring activity levels of young people: the validity of pedometers. *British Medical Bulletin*, 95, 121–137.
- Mendoza J., Apostolos G., Humphreys J., Hanna-Pladdy B., O'Bryant S. (2009). Coin Rotation Task (CRT): A New Test of Motor Dexterity. *Archives of Clinical Neuropsychology*, 24, 287–292.
- Missiuna C., Moll S., King G., Stewart D., Macdonald K. (2008). Life experiences of young adults who have coordination difficulties. *Canadian Journal of Occupational Therapy*, 75(3), 157–166.
- Morano M., Colella D., Robazza C., Bortoli L., Capranica L. (2011). Physical self-perception and motor performance in normal-weight, overweight and obese children. *Scandinavian Journal of medicine and science in sports*, 21, 465-473.
- Morris A., Williams J., Atwater A., Wilmore J. (2013). Age and Sex Differences in Motor Performance of 3 through 6 Year Old Children. *Research Quarterly for Exercise and Sport*, 53(3), 214-221.
- Morrison K., Bugge A., El-Naaman B., Eisenmann J., Froberg K., Pfeiffer K., Andersen L. (2012). Inter-Relationships Among Physical Activity, Body Fat, and Motor Performance in 6- to 8-Year-Old Danish Children. *Pediatric Exercise Science*, 24, 199-209.

- Nervik D., Martin K., Cleland J.(2011). The Relationship Between Body Mass Index and Gross Motor Development in Children Aged 3 to 5 Years. *Pediatric Physical Therapy*, 144-148.
- Nunez-Gaunard A., Moore J., Roach K., Miller T. (2013). Motor Proficiency, Strength, Endurance, and Physical Activity Among Middle School Children Who Are Healthy, Overweight, and Obese. *Pediatric Physical Therapy*, 130-138.
- Okuda P., Pangelinan M., Chiorri C., Capellini S., Cogo–Moreira H. (2018). A new motor screening assessment for children at risk for motor disorders: construct validity. *Arquivos de Neuro-Psiquiatria*, 76(2), 104-112.
- Olds T., Tomkinson G., Leger L., Cazorla G. (2006). Worldwide variation in the performance of children and adolescents: An analysis of 109 studies of the 20-m shuttle run test in 37 countries. *Journal of Sports Sciences*, 24, 1025–1038.
- Piek J., Hands B., Licari M. (2012). Assessment of Motor Functioning in the Preschool Period. *Neuropsychology Review*, 22, 402–413.
- Poulsen A., Ziviani J., Johnson H., Cuskelly M. (2008). Loneliness and life satisfaction of boys with developmental coordination disorder: the impact of leisure participation and perceived freedom in leisure. *Humans Movement Science*, 27, 325–43.
- Poulsen A., Johnson H. Ziviani J. (2011). Participation, self-concept and motor performance of boys with developmental coordination disorder: A classification and regression tree analysis approach. *Australian Occupational Therapy Journal*, 58, 95–102.
- Robinson L. (2010). The relationship between perceived physical competence and fundamental motor skills in preschool children. *Child: care, health and development*, 37 (4), 589-596.
- Schoemaker M., Flapper B., Reinders-Messelink H., de Kloet A. (2008). Validity of the motor observation questionnaire for teachers as a screening instrument for

- children at risk for developmental coordination disorder. *Human Movement Science*, 27, 190–199.
- Sgrò F., Quinto A., Messina L., Pignato S., Lipoma M. (2017). Assessment of gross motor developmental level in Italian primary school children. *Journal of Physical Education and Sport*, 17(3), 1954-1959.
- Singh C., Dhanda B., Shanwal P. (2010) Gender Difference in Motor and Mental Development in Children: An Impact of Stimulating Activities. *The Anthropologist*, 12(2), 153-154.
- Smits-Engelsman B., Blank R., van der Kaay A-C., Mosterd-van der Meijs R., Vlugt-van der Brand E., Polatajko H., Wilson P. (2012). Efficacy of interventions to improve motor performance in children with developmental disorder: a combined systematic review and meta-analysis. *Developmental medicine and child neurology*, 229-237.
- Spessato B., Gabbard C., Valentini N., Rudisill M. (2012). Gender differences in Brazilian children's fundamental movement skill performance. *Early Child Development and Care*, 183(7), 916-923.
- Spironello C., Hay J., Missiuna C., Faught B., Cairney J. (2009). Concurrent and construct validation of the short form of the Bruininks-Oseretsky Test of Motor Proficiency and the Movement-ABC when administered under field conditions: implications for screening. *Child: care, health and development*, 36(40), 499-507.
- Stodden D., Goodway J., Langendorfer S., Robertson M., Rudisill M., Garcia C., Garcia L. (2008). A developmental perspective on the role of motor skill competence in physical activity: An emergent relationship. *Quest*, 60(2), 290–306.
- Tsiotra G., Flouris A., Koutedakis Y., et al. (2006). A comparison of developmental coordination disorder prevalence rates in Canadian and Greek children. *Journal of Adolescence Health*, 39, 125–7.

- Tsiotra G., Nevill A., Lane A., Koutedakis Y. (2009). Physical Fitness and Developmental Coordination Disorder in Greek Children. *Pediatric Exercise Science*, 21, 186-195.
- Valerio G., Gallarato V., D'Amico O., Sticco M., Tortorelli P., Zito E., Nugnes R., Mozzillo E., Franzese A. (2014). Perceived Difficulty with Physical Tasks, Lifestyle, and Physical Performance in Obese Children. *BioMed Research International*, 1-7.
- Venetsanou F., Kambas A., Aggeloussis, N., Fatouros I., Taxildaris K. (2009). Motor assessment of preschool aged children: A preliminary investigation of the validity of the Bruininks–Oseretsky test of motor proficiency – Short form. *Human Movement Science*, 28, 543–550.
- Venetsanou F., Kambas A., Ellinoudis T., Fatouros I., Giannakidou D., Kourtessis T. (2011). Can the Movement Assessment Battery for Children-Test be the “gold standard” for the motor assessment of children with Developmental Coordination Disorder?. *Research in Developmental Disabilities*, 32, 1–10.
- Wall A. (2004). The developmental skill-learning gap hypothesis: Implications for children with movement difficulties. *Adapted Physical Activity Quarterly*, 21(3), 197–218.
- Williams H., Pfeiffer K., O'Neill J., Dowda M., McIver K., Brown W., Pate R. (2008). Motor Skill Performance and Physical Activity in Preschool Children. *Obesity Journal*, 16, 1421–1426.
- Wilson B, Crawford S., Green D., Roberts G., Aylott A., Kaplan B. (2009). Psychometric properties of the revised Developmental Coordination Disorder Questionnaire. *Physical & Occupational Therapy in Pediatrics*, 29(2), 182–202.
- Wilson B., Crawford S., Green D., Roberts G., Aylott A., Kaplan B. (2014). Psychometric Properties of the Revised Developmental Coordination Disorder Questionnaire. *Informa healthcare*, 182-202.

Zhu Y-C., Wu S., Cairney J.(2011). Obesity and motor coordination ability in Taiwanese children with and without developmental coordination disorder. *Research in Developmental Disabilities*, 32, 801–807.