

‘Specialization in ICTs and Special Education: Psychopedagogy of Integration’
Postgraduate Program
DEMOCRITUS UNIVERSITY OF THRACE Department of Greek Philology
in collaboration with
NCSR DEMOKRITOS Informatics and Telecommunications Institute

**BRAIN – COMPUTER INTERFACE SYSTEMS AS INTERVENTION TOOLS IN
AUTISM SPECTRUM DISORDER**

ALEXOPOULOU ARXONTOULA

POSTGRADUATE
THESIS

Athens/Komotini

2020

ABSTRACT

Autism is a pervasive neurodevelopmental disorder of multifactorial causation and phenotypical variation. The nature of the disorder together with the difficulty in planning and implementing highly effective treatment models, have directed the scientific research towards discovering and implementing new intervention or/and therapeutic models, of different type and philosophy. Brain – computer interface systems as intervention tools in autism comprise an approach consistent with the demands of the new era. The dissertation aims at examining applied, non-invasive research protocols of this kind, placing emphasis on the way they were implemented and their effectiveness. The review was conducted on published research in the last decade, concerning ages 4-21.

References

- Alexopoulou, A., Batsou, A., & Drigas, A. S. (2019). Effectiveness of Assessment, Diagnostic and Intervention ICT Tools for Children and Adolescents with ADHD. *International Journal of Recent Contributions from Engineering, Science & IT (iJES)*, 7(3), 51-63.
- Alkoby, O., Abu-Rmileh, A., Shriki, O., & Todder, D. (2018). Can we predict who will respond to neurofeedback? A review of the inefficacy problem and existing predictors for successful EEG neurofeedback learning. *Neuroscience*, 378, 155-164.
- Alsaggaf, E. A., & Kamel, M. I. (2014). Using EEGs to diagnose autism disorder by classification algorithm. *Life Science Journal*, 11(6), 305-308.
- Altschuler, E. L., Vankov, A., Wang, V., Ramachandran, V. S., and Pineda, J. A. (1998). Person see, person do: human cortical electrophysiological correlates of monkey see monkey do cells. *J. Cogn. Neurosci. Suppl. S*: 91, Abstract.
- Amaral, C. P., Simões, M. A., Mouga, S., Andrade, J., & Castelo-Branco, M. (2017). A novel Brain Computer Interface for classification of social joint attention in autism and comparison of 3 experimental setups: a feasibility study. *Journal of neuroscience methods*, 290, 105-115.
- American Psychiatric Association, (2013). Diagnostic and statistical manual of mental disorders (5th Ed.). <https://doi.org/10.1176/appi.books.9780890425596>
- American Psychiatric Association, DSM-IV-TR: Diagnostic and statistical manual of mental disorders, text revision. Washington, DC: American Psychiatric Association; 2000.
- Antshel, K. M., Zhang-James, Y., Wagner, K. E., Ledesma, A., & Faraone, S. V. (2016). An update on the comorbidity of ADHD and ASD: a focus on clinical management. *Expert review of neurotherapeutics*, 16(3), 279-293.
- Aragón, O. R., Sharer, E. A., Bargh, J. A., & Pineda, J. A. (2014). Modulations of mirroring activity by desire for social connection and relevance of movement. *Social cognitive and affective neuroscience*, 9(11), 1762-1769.
- Arnstein, D., Cui, F., Keysers, C., Maurits, N. M., and Gazzola, V. (2011). Mu suppression during action observation and execution correlates with BOLD in dorsal premotor, inferior parietal, and SI cortices. *J. Neurosci.* 31, 14243–14249. doi: 10.1523/JNEUROSCI.0963-11.2011
- Asperger, H. (1944). Die „Autistischen psychopathen“ im kindesalter. *Archiv für psychiatrie und nervenkrankheiten*, 117(1), 76-136.
- Autism speaks. Autism diagnosis criteria: DSM-5 διαθέσιμο στο: <https://www.autismspeaks.org/autism-diagnosis-criteria-dsm5> , (ανακτήθηκε στις 19/03/2020)
- Baio, J., Wiggins, L., Christensen, D.L., et al. (2018). Prevalence of Autism Spectrum Disorder Among Children Aged 8 Years — Autism and Developmental Disabilities Monitoring Network, 11 Sites, United States, 2014, MMWR Surveill Summ 2018; 67(No. SS-6):1–23. DOI: <http://dx.doi.org/10.15585/mmwr.ss6706a1>

- Baribeau, D. A., Doyle-Thomas, K. A., Dupuis, A., Iaboni, A., Crosbie, J., McGinn, H., ... & Schachar, R. J. (2015). Examining and comparing social perception abilities across childhood-onset neurodevelopmental disorders. *Journal of the American Academy of Child & Adolescent Psychiatry*, 54(6), 479-486.
- Baron-Cohen, S. (1989). The theory of mind hypothesis of autism: a reply to Boucher. *Br. J. Disord. Commun.* 24, 199–200. doi: 10.3109/13682828909011956
- Baron-Cohen, S. (1995). Mind Blindness. Cambridge, MA: MIT Press.
- Baron-Cohen, S. (2008). Autism, hypersystemizing, and truth. *The Quarterly Journal of Experimental Psychology*, 61(1), 64-75. doi: 10.1080/17470210701508749
- Baron-Cohen, S., and Belmonte, M. K. (2005). Autism: a window onto the development of the social and the analytic brain. *Annu. Rev. Neurosci.* 28, 109–126. doi: 10.1146/annurev.neuro.27.070203.144137
- Baron-Cohen, S. (2004). The cognitive neuroscience of autism. *Journal of Neurology and Neurosurgery Psychiatry*, 75(7), 945–948
- Beach, J., & Wendt, J. (2014). Social Interaction development through immersive virtual environments .In Proceedings of The International Conference on Education Technologies and Computers (pp. 1-8). Lodz, Poland: Lodz University of Technology.
- Bekele, E., Wade, J., Bian, D., Fan, J., Swanson, A., Warren, Z., & Sarkar, N. (2016, March). Multimodal adaptive social interaction in virtual environment (MASI-VR) for children with Autism spectrum disorders (ASD). In *2016 IEEE Virtual Reality (VR)* (pp. 121-130). IEEE.
- Bellani, M., Fornasari, L., Chittaro, L., & Brambilla, P. (2011). Virtual reality in autism: state of the art. *Epidemiology and Psychiatric Science*, 20, 235 -238. <http://dx.doi.org/10.1017/S2045796011000448>.
- Belmonte, M. (2000). Abnormal attention in autism shown by steady-state visual evoked potentials. *Autism*, 4(3), 269-285.
- Belmonte, M. K., Allen, G., Beckel-Mitchener, A., Boulanger, L. M., Carper, R. A., & Webb, S. J. (2004). Autism and abnormal development of brain connectivity. *The Journal of Neuroscience*, 24(42), 9228-9231. <http://dx.doi.org/10.1523/JNEUROSCI.3340-04.2004>
- Bernardini, S., Porayska-Pomsta, K., & Smith, T. J. (2014). *ECHOES: An intelligent serious game for fostering social communication in children with autism*. *Information Sciences*, 264, 41–60. doi:10.1016/j.ins.2013.10.027
- Bernier, R., Dawson, G., Webb, S. and Murias, M. (2007). EEG mu rhythm and imitation impairments in individuals with autism spectrum disorder. *Brain Cogn*; 64: 228–37.
- Bharatharaj, J., & Kumar, S. S. (2013, July). Considerations in Autism therapy using robotics. In *2013 Fourth International Conference on Computing, Communications and Networking Technologies (ICCCNT)* (pp. 1-5). IEEE.

- Billoci, L., Sicca, F., Maharatna, K., Apicella, F., Narzisi, A., Campatelli, G., et al. (2013). On the application of quantitative EEG for characterizing autistic brain: a systematic review. *Front. Hum. Neurosci.* 7:442. doi: 10.3389/fnhum.2013.00442
- Billstedt, E., Gillberg, C., & Gillberg, C. (2005). Autism after adolescence: population-based 13-to 22-year follow-up study of 120 individuals with autism diagnosed in childhood. *Journal of autism and developmental disorders*, 35(3), 351-360.
- Birbaumer, N. (1999). Slow cortical potentials: Plasticity, operant control, and behavioural effects. *Neuroscientist*, vol. 5, pp. 74-78.
- Böcker, K. B., van Avermaete, J. A., & van den Berg-Lenssen, M. M. (1994). The international 10–20 system revisited: Cartesian and spherical co-ordinates. *Brain Topography*, 6(3), 231-235.
- Boutros, N. N., Lajiness-O'Neill, R., Zillgitt, A., Richard, A. E., & Bowyer, S. M. (2015). EEG changes associated with autistic spectrum disorders. *Neuropsychiatric Electrophysiology*, 1(1), 1-20.
- Bowers, A., Saltuklaroglu, T., Harkrider, A., & Cuellar, M. (2013). *Suppression of the μ Rhythm during Speech and Non-Speech Discrimination Revealed by Independent Component Analysis: Implications for Sensorimotor Integration in Speech Processing*. PLoS ONE 8(8): e72024. <https://doi.org/10.1371/journal.pone.0072024>
- Braadbaart, L., Williams. H. G., and Waiter, G. D. (2013). Do mirror neuron areas mediate mu rhythm suppression during imitation and action observation? *Int. J. Psychophysiol.* 89, 99–105. doi: 10.1016/j.ijpsycho.2013.05.019
- Brewer, R., Biotti, F., Catmur, C., Press, C., Happé, F., Cook, R., & Bird, G. (2015). *Can Neurotypical Individuals Read Autistic Facial Expressions? Atypical Production of Emotional Facial Expressions in Autism Spectrum Disorders*. *Autism Research*, 9(2), 262–271. doi:10.1002/aur.1508
- Brown, C., Gruber, T., Boucher, J., Rippon, G., and Brock, J. (2005). Gamma abnormalities during perception of illusory figures in autism. *Cortex* 41, 364–376
- Bryson S.E, & Smith I.M. (1998). Epidemiology of autism: Prevalence, associated characteristics, and implications for research and service delivery. *Mental Retard Dev Dis Res Rev*, 4:97–103
- Bush, G., Luu, P., & Posner, M. I. (2000). Cognitive and emotional influences in anterior cingulate cortex. *Trends in Cognitive Science*, 4, 215–222.
- Buzsáki, G. (2006). *Rhythms of the Brain*. Oxford University Press.
- Buzsáki, G., Logothetis, N., & Singer, W. (2013). Scaling brain size, keeping timing: evolutionary preservation of brain rhythms. *Neuron*, 80(3), 751-764.
- Buzsáki, G., & Watson, B. O. (2012). Brain rhythms and neural syntax: implications for efficient coding of cognitive content and neuropsychiatric disease. *Dialogues in clinical neuroscience*, 14(4), 345.

- Cantor, D. S., and Chabot, R. (2009). QEEG studies in the assessment and treatment of childhood disorders. *Clin. EEG Neurosci.* 40, 113–121. doi: 10.1177/155005940904000209
- Caria, A., & de Falco, S. (2015). Anterior insular cortex regulation in autism spectrum disorders. *Frontiers in behavioral neuroscience*, 9, 38.
- Casanova, M. F., Baruth, J., El-Baz, A., Tasman, A., Sears, L., & Sokhadze, E. (2012). Repetitive transcranial magnetic stimulation (rTMS) modulates event-related potential (ERP) indices of attention in autism. *Translational Neuroscience*, 3(2), 170–180.
- Casanova, M. F., Baruth, J. A., El-Baz, S., Sokhadze, G. E., Hensley, M., and Sokhadze, E. M. (2013). “Evoked and induced gamma- frequency oscillation in autism,” in *Imaging the Brain in Autism*, eds M. Casanova, A. El-Baz, and J. S. Suri (New York, NY: Springer), 87–106.
- CDC - Data & Statistics on Autism Spectrum Disorder 2020, διαθέσιμο στο: <https://www.cdc.gov/ncbdd/autism/data.html>, (ανακτήθηκε στις 16/03/2020).
- Cerliani, L., Mennes, M., Thomas, R. M., Di Martino, A., Thioux, M., & Keysers, C. (2015). Increased functional connectivity between subcortical and cortical resting-state networks in autism spectrum disorder. *JAMA psychiatry*, 72(8), 767-777.
- Chaidi, I., & Drigas, A. (2020). Autism, Expression, and Understanding of Emotions: Literature Review. *International Journal of Online and Biomedical Engineering (iJOE)*, 16(02), 94-111.
- Chan AS., Sze SL. and Cheung M. (2007). Quantitative electroencephalographic profiles for children with autistic spectrum disorder. *Neuropsychology*; 21: 74–81.
- Charman, T. (2003). Why is joint attention a pivotal skill in autism? *Philosophical transactions of the Royal Society of London. Series B, Biological sciences*, 358(1430), 315-24.
- Charman, T., Loth, E., Tillmann, J., Crawley, D., Wooldridge, C., Goyard, D., & Baron-Cohen, S. (2017). The EU-AIMS Longitudinal European Autism Project (LEAP): clinical characterisation. *Molecular autism*, 8(1), 27.
- Chaste, P., & Leboyer, M. (2012). Autism risk factors: genes, environment, and gene-environment interactions. *Dialogues in clinical neuroscience*, 14(3), 281.
- Cheng, Y., & Ye, J. (2010). Exploring the social competence of students with autism spectrum conditions in a collaborative virtual learning environment: the pilot study. *Computers and Education*, 54, 1068e1077.
- Coben, R. (2007). Connectivity-guided neurofeedback for autistic spectrum disorder. *Biofeedback*, 35(4), 131-135.
- Coben, R., & Padolsky, I. (2007). Assessment-guided neurofeedback for autistic spectrum disorders. *Journal of Neurotherapy*, 11, 5–23.
- Coben, R., & Myers, T.E. (2008). Connectivity Theory of Autism: Use of Connectivity Measures in Assessing and Treating Autistic Disorders, *Journal of Neurotherapy: Investigations*

in Neuromodulation, Neurofeedback and Applied Neuroscience, 12:2-3, 161-179, DOI: 10.1080/10874200802398824

Coben, R., Clarke, A.R., Hudspeth, W., Barry, R.J. (2008). EEG power and coherence in autistic spectrum disorder. *Clinical Neurophysiology* 119, 1002–1009.

Coben, R. (2013). Neurofeedback for autistic disorders: emerging empirical evidence. In *imaging the brain in autism* (pp. 107-134). Springer, New York, NY.

Coben, R., Linden, M., and Myers, T.E. (2010). Neurofeedback for autistic spectrum disorder: a review of the literature. *Appl. Psychophysiol. Biofeedback* 35, 83–105. doi: 10.1007/s10484-009-9117-y

Coben, R., & Myers, T. E. (2009). *The Relative Efficacy of Connectivity Guided and Symptom Based EEG Biofeedback for Autistic Disorders*. *Applied Psychophysiology and Biofeedback*, 35(1), 13–23. doi:10.1007/s10484-009-9102-5

Coben, R., Chabot, R. J., & Hirschberg, L. (2013). EEG analyses in the assessment of autistic disorders. In M. F. Cassanova, S. E. Ayman, & J. Suri (Eds.), *Imaging the brain in autism* (pp. 349–369). New York: Springer.

Coben, R., Sherlin, L., Hudspeth, W. J., McKeon, K., & Ricca, R. (2014). Connectivity-guided EEG biofeedback for autism spectrum disorder: evidence of neurophysiological changes. *NeuroRegulation*, 1(2), 109-109.

Coben, R., & Ricca, R. (2015). EEG biofeedback for autism spectrum disorder: a commentary on Kouijzer et al. (2013). *Applied psychophysiology and biofeedback*, 40(1), 53-56.

Courchesne, E., & Pierce, K. (2005). Why the frontal cortex in autism might be talking only to itself: Local over-connectivity but long-distance disconnection. *Current Opinion in Neurobiology*, 15, 225–230. <http://dx.doi.org/10.1016/j.conb.2005.03.001>

Courchesne, E., Recay, E., & Kennedy, D. P. (2004). The autistic brain: Birth through adulthood. *Current Opinion in Neurology*, 17(4), 489-496. <http://dx.doi.org/10.1097/01.wco.0000137542.14610.b4>

Cowan, J., & Markham, L. (1994, September). EEG biofeedback for the attention problems of autism: A case study. In *Annual Meeting of the Association for applied Psychophysiology and Biofeedback* (pp. 12-13).

Crippa, A., Forti, S., Perego, P., & Molteni, M. (2013): Eye-hand coordination in children with high functioning autism and Asperger's disorder using a gap-overlap paradigm. *J Autism Dev Disord* 43:841–850

Dapretto, M., Davies, M. S., Pfeifer, J. H., Scott, A. A., Sigman, M., Bookheimer, S. Y., et al. (2006). Understanding emotions in others: mirror neuron dysfunction in children with autism spectrum disorders. *Nat.Neurosci.* 9, 28–30. doi:10.1038/nn1611

Datko, M., Pineda, J. A., & Müller, R. A. (2018). Positive effects of neurofeedback on autism symptoms correlate with brain activation during imitation and observation. *European Journal of Neuroscience*, 47(6), 579-591.

Demos, J. N. (2005). *Getting started with neurofeedback*. WW Norton & Company.

- Deore, R., & Mehrotra, S. (2015). Mood Recognition System Using EEG Signal of Song Induced Activities. In *Brain-Computer Interfaces* (pp. 337-374). Springer, Cham.
- Deriso, D., Susskind, J., Krieger, L., & Bartlett, M. (2012). Emotion Mirror: A novel intervention for Autism based on real-time expression recognition. In A. Fusiello, V. Murino, & R. Cucchiara (eds.), *Computer Vision-ECCV Workshops and Demonstrations* (pp. 671-674). Berlin, Germany: Springer Berlin Heidelberg.
- Di Pellegrino, G., Fadiga, L., Fogassi, L., Gallese, V., & Rizzolatti, G. (1992). Understanding motor events: a neurophysiological study. *Experimental brain research*, 91(1), 176-180.
- Didehbani, N., Allen, T., Kandalaf, M., Krawczyk, D., & Chapman, S. (2016). Virtual reality social cognition training for children with high functioning autism. *Computers in human behavior*, 62, 703-711.
- Drigas, A., & Vlachou, J. A. (2016). Information and communication technologies (ICTs) and autistic spectrum disorders (ASD). *International Journal of Recent Contributions from Engineering, Science & IT (iJES)*, 4(1), 4-10.
- Drigas, A. S., & Pappas, M. A. (2017). The Consciousness-Intelligence-Knowledge Pyramid: An 8x8 Layer Model. *International Journal of Recent Contributions from Engineering, Science & IT (iJES)*, 5(3), 14-25.
- Drigas, A., & Karyotaki, M. (2019). Executive Functioning and Problem Solving: A Bidirectional Relation. *International Journal of Engineering Pedagogy (iJEP)*, 9(3), 76-98.
- Duncan, C. C., Barry, R. J., Connolly, J. F., Fischer, C., Michie, P. T., Näätänen, R., ... & Van Petten, C. (2009). Event-related potentials in clinical research: guidelines for eliciting, recording, and quantifying mismatch negativity, P300, and N400. *Clinical Neurophysiology*, 120(11), 1883-1908.
- Durkin, M. S., Maenner, M. J., Newschaffer, C. J., Lee, L. C., Cunniff, C. M., Daniels, J. L., ... & Schieve, L. A. (2008). Advanced parental age and the risk of autism spectrum disorder. *American journal of epidemiology*, 168(11), 1268-1276.
- Evans, B. (2013). How autism became autism: The radical transformation of a central concept of child development in Britain. *History of the Human Sciences*, 26(3), 3-31.
- Fabiani, M., Gratton, G., & Federmeier, K. D. (2007). Event-Related Brain Potentials: Methods, Theory, and Applications. In: J. T. Cacioppo, L. G. Tassinary, & G. Berntson (Eds.), *Handbook of Psychophysiology* (3rd ed., pp. 85–119). Cambridge University Press
- Fan, J., Wade, J. W., Bian, D., Key, A. P., Warren, Z. E., Mion, L. C., & Sarkar, N. (2015). A Step towards EEG-based brain computer interface for autism intervention. *2015 37th Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC)*. doi:10.1109/embc.2015.7319213
- Farley, M. A., McMahon, W. M., Fombonne, E., Jenson, W. R., Miller, J., Gardner, M., ... & Coon, H. (2009). Twenty-year outcome for individuals with autism and average or near-average cognitive abilities. *Autism Research*, 2(2), 109-118.

- Feinstein, A. (2010). A history of autism: Conversations with the pioneers. Wiley-Blackwell, Chichester.
- Fishman, I., Datko, M., Cabrera, Y., Carper, R. A., & Müller, R. A. (2015). Reduced integration and differentiation of the imitation network in autism: A combined functional connectivity magnetic resonance imaging and diffusion-weighted imaging study. *Annals of neurology*, 78(6), 958-969.
- Fouad, M.M., Amin, K.M., El-Bendary, N., Hassanien, A.E. (2015). Brain Computer Interface: A Review. In: Hassanien A., Azar A. (eds) Brain-Computer Interfaces. Intelligent Systems Reference Library, vol 74.3–30. Springer, Cham. doi:10.1007/978-3-319-10978-7_1
- Francuz, P., & Zapała, D. (2011). The suppression of the μ rhythm during the creation of imagery representation of movement. *Neuroscience letters*, 495(1), 39-43.
- Friedman, D., Leeb, R., Pfurtscheller, G., & Slater, M. (2010). Human-computer interface issues in controlling virtual reality with brain-computer interface. *Human-Computer Interaction*, 25(1), 67-94.
- Friedrich, E. V., Suttie, N., Sivanathan, A., Lim, T., Louchart, S., & Pineda, J. A. (2014). Brain-computer interface game applications for combined neurofeedback and biofeedback treatment for children on the autism spectrum. *Frontiers in neuroengineering*, 7, 21.
- Friedrich, E. V., Sivanathan, A., Lim, T., Suttie, N., Louchart, S., Pillen, S., & Pineda, J. A. (2015). An effective neurofeedback intervention to improve social interactions in children with autism spectrum disorder. *Journal of autism and developmental disorders*, 45(12), 4084-4100.
- Frith, U., & Happé, F. (1994). Autism: beyond "theory of mind." *Cognition*, 50(1-3), 115-132. doi:10.1016/0010-0277(94)90024-8
- Ganin, I.P., Shishkin, S.L., & Kaplan, A.Y. (2013) A P300-based Brain-Computer Interface with Stimuli on Moving Objects: Four-Session Single-Trial and Triple-Trial Tests with a Game-Like Task Design. *PLoS ONE* 8(10)
- Golan, O., & Baron-Cohen, S. (2006). Systemizing empathy: Teaching adults with Asperger syndrome or high-functioning autism to recognize complex emotions using interactive multimedia. *Development and psychopathology*, 18(2), 591-617.
- Grob, G. N. (1991). Origins of DSM-I: a study in appearance and reality. *The American journal of psychiatry*.
- Grynszpan, O., Weiss, P. L. (Tamar), Perez-Diaz, F., & Gal, E. (2013). Innovative technology-based interventions for autism spectrum disorders: A meta-analysis. *Autism*, 18(4), 346–361. doi:10.1177/1362361313476767
- Haddadi, P., Haghshenas, S., & Rostami, R. (2011). Rehabilitation in Autism Spectrum Disorder (ASD): a mixture of neurofeedback training and Auditory Integration Training (AIT). *Procedia-Social and Behavioral Sciences*, 30, 611-614.
- Hadjikhani, N., Joseph, R. M., Snyder, J., and Tager-Flusberg, H. (2006). Anatomical differences in the mirror neuron system and social cognition network in autism. *Cereb. Cortex* 16, 1276–1282. doi: 10.1093/cercor/bhj069

- Hahamy, A., Behrmann, M., & Malach, R. (2015). The idiosyncratic brain: distortion of spontaneous connectivity patterns in autism spectrum disorder. *Nature neuroscience*, 18(2), 302.
- Halabi, O., Abou El-Seoud, S., Alja'am, J., Alpona, H., Al-Hemadi, M., & Al-Hassan, D. (2017). Design of immersive virtual reality system to improve communication skills in individuals with autism. *International Journal of Emerging Technologies in Learning (iJET)*, 12(05), 50-64.
- Hammond, DC (2011). What is neurofeedback: an update J Neurother 15:305–336. <https://doi.org/10.1080/10874208.2011.623090>
- Happé, F., and Frith, U. (2006). The weak coherence account: detail-focused cognitive style in autism spectrum disorders. *J. Autism Dev. Disord.* 36, 5–25. doi: 10.1007/s10803-005-0039-0
- Hari, R. (2006). Action–perception connection and the cortical mu rhythm. *Progress in brain research*, 159, 253-260.
- Harms, M. M., Martin, A., & Wallace, G. L. (2010). Facial Emotion Recognition in Autism Spectrum Disorders: A review of Behavioral and Neuroimaging Studies. *Neuropsychology Review*, 20(3), 290-322. doi : 10.1007/s11065-010-9138-6
- Herbert, M.R. (2005). Large brains in autism: The challenge of pervasive abnormality The Neuroscientist, 11(5), 417–440. <http://dx.doi.org/10.1177/0091270005278866>
- Herrera G, Alcantud F, Jordan R, et al. Development of symbolic play through the use of virtual reality tools in children with autistic spectrum disorders. *Autism*. 2008;12:143–57
- Hill, E. L. (2004). Evaluating the theory of executive dysfunction in autism. *Developmental Review*, 24, 189–233.
- Holtmann, M., Steiner, S., Hohmann, S., Poustka, L., Banaschewski, T., & Bölte, S. (2011). Neurofeedback in autism spectrum disorders. *Developmental Medicine & Child Neurology*, 53(11), 986-993.
- Iacoboni, M., & Dapretto, M. (2006). The mirror neuron system and the consequences of its dysfunction. *Nature Reviews Neurosciences*, 7(12), 942–951
- Jarold, W., Mundy, P., Gwaltney, M., Bailenson, J., Hatt, N., & McIntyre, N. (2013). Social attention in a virtual public speaking task in higher functioning children with autism. *Autsim Research*, 6(5), 1e27.
- Jarusiewicz, B. (2002). Efficacy of neurofeedback for children in the autistic spectrum: A pilot study *Journal of Neurotherapy*, 6, 39–49.
- Jiang, Y., Abiri, R., & Zhao, X. (2017). Tuning Up the Old Brain with New Tricks: Attention Training via Neurofeedback. *Frontiers in aging neuroscience*, 9, 52. <https://doi.org/10.3389/fnagi.2017.00052>
- Just, M.A., Cherkassky, V.L., Keller, T.A. & Minshew, N.J. (2004). Cortical activation and synchronization during sentence comprehension in high-functioning autism: evidence of underconnectivity. *Brain J. Neurol.* 127, 1811–1821. doi: 10.1093/brain/awh199

- Just, M. A., Keller, T. A., Malave, V. L., Kana, R. K., & Varma, S. (2012). Autism as a neural systems disorder: a theory of frontal-posterior underconnectivity. *Neuroscience & Biobehavioral Reviews*, 36(4), 1292-1313.
- Kandalaft, M. R., Didehbani, N., Krawczyk, D. C., Allen, T. T., & Chapman, S. B. (2013). Virtual reality social cognition training for young adults with high-functioning autism. *Journal of autism and developmental disorders*, 43(1), 34-44.
- Kanner, L. (1943). Autistic disturbances of affective contact. *Nervous child*, 2(3), 217-250.
- Karimi, M., Haghshenas, S., & Rostami, R. (2011). Neurofeedback and autism spectrum: A case study. *Procedia-Social and Behavioral Sciences*, 30, 1472-1475.
- Karyotaki, M., Drigas, A., & Skianis, C. (2017). Attentional control and other executive functions. *International Journal of Emerging Technologies in Learning (iJET)*, 12(03), 219-233.
- King, B. H., & Bostic, J. Q. (2006). An update on pharmacologic treatments for autism spectrum disorders. *Child and Adolescent Psychiatric Clinics of North America*, 15(1), 161–175.
- Klimesch, W. (1999). EEG alpha and theta oscillations reflect cognitive and memory performance: a review and analysis. *Brain research reviews*, 29(2-3), 169-195.
- Kouijzer, M., de Moor, J. M. H., Gerrits, B. J., Congedo, M., and van Schie, H. (2009a). Neurofeedback improves executive functioning in children with autism spectrum disorders. *Res. Aut. Spectr. Disord.* 3, 145–162.
- Kouijzer, M., de Moor, J., Gerrits, B., Buitelaar, J., and van Schie, H. (2009b). Long-term effects of neurofeedback treatment in autism. *Res. Aut. Spectr. Disord.* 3, 496–501.
- Kouijzer, M., van Schie, H., de Moor, J. M. H., Gerrits, B. J., and Buitelaar, J. K. (2010). Neurofeedback treatment in autism: preliminary findings in behavioral, cognitive, and neurophysiological functioning. *Res. Aut. Spectr. Disord.* 4, 386–399.
- Kouijzer, M. E., van Schie, H. T., Gerrits, B. J., & de Moor, J. M. (2011). Neurofeedback Treatment for Autism Spectrum Disorders—Scientific Foundations and Clinical Practice. *Autism Spectrum Disorders-From Genes to Environment*, 101-122.
- Kouijzer, M. E., van Schie, H. T., Gerrits, B. J., Buitelaar, J. K., & de Moor, J. M. (2013). Is EEG-biofeedback an effective treatment in autism spectrum disorders? A randomized controlled trial. *Applied psychophysiology and biofeedback*, 38(1), 17-28.
- Krishnappa Babu, P. R., Oza, P., & Lahiri, U. (2017). *Gaze-sensitive Virtual Reality based Social Communication Platform for Individuals with Autism*. *IEEE Transactions on Affective Computing*, 1–1. doi:10.1109/taffc.2016.2641422
- Kuriakose, S. and Lahiri, U. (2017). *Design of a physiology-Sensitive VR-Based social communication platform for children with autism* *IEEE Trans. Neural Syst. Rehabil. Eng.*, 25 (8), pp. 1180-1191, [10.1109/TNSRE.2016.2613879](https://doi.org/10.1109/TNSRE.2016.2613879)
- Lahiri, U., Warren, Z., & Sarkar, N. (2011). Design of a gaze-sensitive virtual social interactive system for children with autism. *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, 19(4), 443-452.

- Lamash, L., Klinger, E., and Josman, N. (2017). Using a virtual supermarket to promote independent functioning among adolescents with Autism Spectrum Disorder. International Conference on Virtual Rehabilitation (ICVR), Montreal, QC, 2017, pp. 1-7, doi: 10.1109/ICVR.2017.8007467.
- Leekam, S. R., Libby, S. J., Wing, L., Gould, J., & Taylor, C. (2002). The Diagnostic Interview for Social and Communication Disorders: algorithms for ICD-10 childhood autism and Wing and Gould autistic spectrum disorder. *Journal of Child Psychology and Psychiatry*, 43(3), 327-342.
- Levy, S. E., Giarelli, E., Lee, L. C., Schieve, L. A., Kirby, R. S., Cunniff, C., ... & Rice, C. E. (2010). Autism spectrum disorder and co-occurring developmental, psychiatric, and medical conditions among children in multiple populations of the United States. *Journal of Developmental & Behavioral Pediatrics*, 31(4), 267-275.
- Ling, P., & Vučković, A. (2016). Competitive and collaborative multiuser BCI. In *Proceedings of the 6th International Brain–Computer Interface Meeting* (Vol. 228).
- Lorenzo, G., Lledó, A., Pomares, J., & Roig, R. (2016). *Design and application of an immersive virtual reality system to enhance emotional skills for children with autism spectrum disorders*. *Computers & Education*, 98, 192–205. doi:10.1016/j.compedu.2016.03.018
- Lotte, F., Larrue, F., & Mühl, C. (2013). Flaws in current human training protocols for spontaneous brain-computer interfaces: lessons learned from instructional design. *Frontiers in human neuroscience*, 7, 568.
- Lotte, F. (2015). Signal processing approaches to minimize or suppress calibration time in oscillatory activity-based brain–computer interfaces. *Proceedings of the IEEE*, 103(6), 871-890.
- Mandryk, R. L., Kalyn, M., Dang, Y., Doucette, A., Taylor, B., & Dielschneider, S. (2012, October). Turning off-the-shelf games into biofeedback games. In *Proceedings of the 14th international ACM SIGACCESS conference on Computers and accessibility* (pp. 199-200).
- Marko, M. K., Crocetti, D., Hulst, T., Donchin, O., Shadmehr, R., & Mostofsky, S. H. (2015). *Behavioural and neural basis of anomalous motor learning in children with autism*. *Brain*, 138(3), 784–797.
- Marotta, R., Risoleo, M. C., Messina, G., Parisi, L., Carotenuto, M., Vetri, L., & Roccella, M. (2020). The Neurochemistry of Autism. *Brain Sciences*, 10(3), 163.
- Martineau, J., Andersson, F., Barthélémy, C., Cottier, J.P. & Destrieux, C. (2010). Atypical activation of the mirror neuron system during perception of hand motion in autism. *BrainRes*.1320,168–175.doi:10.1016/j.brainres.2010.01.035
- Mattout, J. (2012). *Brain-Computer Interfaces: A Neuroscience Paradigm of Social Interaction? A Matter of Perspective*. *Frontiers in Human Neuroscience*, 6. doi:10.3389/fnhum.2012.00114
- McAlonan, G. M., Cheung, V., Cheung, C., Suckling, J., Lam, G. Y., Tai, K. S., et al. (2005). Mapping the brain in autism: A voxelbased MRI study of volumetric differences and intercorrelations in autism. *Brain*, 128(2), 268–276.

- Mercado, J., Espinosa-Curiel, I., Escobedo, L., & Tentori, M. (2019). Developing and evaluating a BCI video game for neurofeedback training: the case of autism. *Multimedia Tools and Applications*, 78(10), 13675-13712.
- Mineo, B.A., Ziegler, W., Gill, S., Salkin, D. (2009). Engagement with electronic screen media among students with autism spectrum disorders. *J Autism Dev Disord*, 39:172–87.
- Minshew, N. J., & Williams, D. L. (2007). The new neurobiology of autism: cortex, connectivity, and neuronal organization. *Archives of neurology*, 64(7), 945-950.
- Minshew, N. J., Goldstein, G., & Siegel, D. J. (1997). Neuropsychologic functioning in autism: profile of a complex information processing disorder. *J. Int. Neuropsychol. Soc.* 3, 303–316.
- Mitchell, P., Parsons, S., & Leonard, A. (2007). Using virtual environments for teaching social understanding to 6 adolescents with autistic spectrum disorders. *Journal of autism and developmental disorders*, 37(3), 589-600.
- Murias, M., Webb, S. J., Greenson, J., & Dawson, G. (2007). Resting state cortical connectivity reflected in EEG coherence in individuals with autism. *Biol. Psychiatry* 62,270–273. doi: 10.1016/j.biopsych.2006.11.012
- Murphy, C. M., Christakou, A., Daly, E. M., Ecker, C., Giampietro, V., Brammer, M., .. & Murphy, D. G. (2014). Abnormal functional activation and maturation of fronto-striato-temporal and cerebellar regions during sustained attention in autism spectrum disorder. *American Journal of Psychiatry*, 171(10), 1107-1116.
- Muthukumaraswamy, S. D., and Johnson, B. W. (2004). Changes in rolandic mu rhythm during observation of a precision grip. *Psychophysiology* 41, 152–156. doi: 10.1046/j.1469-8986.2003.00129
- Muthukumaraswamy, S. D., Johnson, B. W., and McNair, N. A. (2004). Mu rhythm modulation during observation of an object-directed grasp. *Brain Res. Cogn. Brain Res.* 19,195–201. doi: 10.1016/j.cogbrainres.2003.12.001
- Naeem, M., Prasad, G., Watson, D. R., & Kelso, J. A. S. (2012). Electrophysiological signatures of intentional social coordination in the 10–12 Hz range. *NeuroImage*, 59(2), 1795–1803.
- Nash, JK. (2000). Treatment of attention deficit hyperactivity disorder with neurotherapy. *Clin Electroencephalogr*; 31: 30–7.
- Neuper, C., Muller, G. R., Kubler, A., Birbaumer, N., & Pfurtscheller, G. (2003). Clinical application of an EEG-based brain-computer interface: A case study in a patient with severe motor impairment. *Clinical Neurophysiology*, 114(3), 399–409. doi:10.1016/S1388-2457(02)00387-5
- Neuper, C., Scherer, R., Wriessnegger, S., and Pfurtscheller, G. (2009). Motor imagery and action observation: modulation of sensorimotor brain rhythms during mental control of a brain-computer interface. *Clin. Neurophysiol.* 120, 239–247. doi: 10.1016/j.clinph.2008.11.015

- Nomi, J. S., & Uddin, L. Q. (2015). Developmental changes in large-scale network connectivity in autism. *NeuroImage: Clinical*, 7, 732-741.
- Oberman, L. M., Hubbard, E. M., Altschuler, E. L., Ramachandran, V. S., & Pineda, J. A. (2005). EEG evidence for mirror neuron dysfunction in autism spectrum disorders. *Brain Research. Cognitive Brain Research*, 24(2), 190–198.
- Oberman, L. M., Pineda, J. A., & Ramachandran, V. S. (2007). The human mirror neuron system: A link between action observation and social skills. *Social Cognitive and Affective Neuroscience*, 2(1), 62–66.
- Oberman, L. M., Ramachandran, V. S., & Pineda, J. A. (2008). Modulation of mu suppression in children with autism spectrum disorders in response to familiar or unfamiliar stimuli: The mirror neuron hypothesis. *Neuropsychologia*, 46(5), 1558–1565.
- Oldehinkel, M., Mennes, M., Marquand, A., Charman, T., Tillmann, J., Ecker, C., ... & Moessnang, C. (2019). Altered connectivity between cerebellum, visual, and sensory-motor networks in autism spectrum disorder: results from the EU-AIMS longitudinal European autism project. *Biological Psychiatry: Cognitive Neuroscience and Neuroimaging*, 4(3), 260-270.
- Ozonoff, S. (1995). Reliability and validity of the Wisconsin card sorting test in studies of autism. *Neuropsychology*, 9(4), 491–500. doi:10.1037/08944105.9.4.491
- Ozonoff, S. (1997). Casual mechanisms of autism: Unifying perspectives from an information-processing framework. In D. J. Cohen & F. R. Volkmar (Eds.), *Handbook of autism and pervasive developmental disorders* (pp. 868–879). New York: Wiley.
- Ozonoff, S., & Miller, J. N. (1995). Teaching theory of mind: A new approach to social skills training for individuals with autism. *Journal of Autism and developmental Disorders*, 25(4), 415-433.
- Ozonoff, S., Pennington, B. F., & Rogers, S. J. (1991). Executive function deficits in high-functioning autistic individuals: Relationship to theory of mind. *Journal of Child Psychology and Psychiatry*, 32, 1081–1105.
- Papanastasiou, G., Drigas, A., Skianis, C., & Lytras, M. (2020). Brain computer interface based applications for training and rehabilitation of students with neurodevelopmental disorders. A literature review. *Heliyon*, 6(9), e04250.
- Parsons, S., & Mitchell, P. (2002). The potential of virtual reality in social skills training for people with autistic spectrum disorders. *Journal of intellectual disability research*, 46(5), 430-443.
- Patel, S. H., & Azzam, P. N. (2005). Characterization of N200 and P300: selected studies of the event-related potential. *International journal of medical sciences*, 2(4), 147.
- Peters-Scheffer, N., Didden, R., Korzilius, H., & Sturmey, P. (2011). A meta-analytic study on the effectiveness of comprehensive ABA-based early intervention programs for children with Autism Spectrum Disorders. *Research in Autism Spectrum Disorders*, 5, 60–69.

- Pfurtscheller, G., Neuper, C., & Krausz, G. (2000). Functional dissociation of lower and upper frequency mu rhythms in relation to voluntary limb movement. *Clinical neurophysiology*, 111(10), 1873-1879.
- Pineda J. A., & Hecht E. (2009). Mirroring and mu rhythm involvement in social cognition: are there dissociable subcomponents of theory of mind? *Biol Psychol*, 80: 306–14
- Pineda, J. A. (2005). The functional significance of mu rhythms: translating “seeing” and “hearing” into “doing”. *Brain Res. Brain Res. Rev.* 50, 57–68. doi: 10.1016/j.brainresrev.2005.04.005
- Pineda, J. A., Allison, B. Z., & Vankov, A. (2000). The effects of self-movement, observation, and imagination on mu rhythms and readiness potentials (RP's): Toward a brain-computer interface (BCI). *IEEE Transactions in Rehabilitation Engineering*, 8, 219–222.
- Pineda, J. A., Brang, D., Hecht, E., Edwards, L., Carey, S., Bacon, M., & Rork, A. (2008). Positive behavioural and electrophysiological changes following neurofeedback training in children with autism. *Research in Autism Spectrum Disorders*, 2(3), 557-581.
- Pineda, J. A., Carrasco, K., Datko, M., Pillen, S., & Schalles, M. (2014). Neurofeedback training produces normalization in behavioural and electrophysiological measures of high-functioning autism. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 369(1644), 20130183.
- Pineda, J. A., Juavinett, A., & Datko, M. (2014). Rationale for neurofeedback training in children with Autism. *Comprehensive guide to Autism*, 439-460.
- Pineda, J. A., Juavinett, A., & Datko, M. (2012). *Self-regulation of brain oscillations as a treatment for aberrant brain connections in children with autism*. *Medical Hypotheses*, 79(6), 790–798. doi:10.1016/j.mehy.2012.08.031
- Pineda, J. A., Friedrich, E. V., & La Marca, K. (2014). Neurorehabilitation of social dysfunctions: A model-based neurofeedback approach for low and high-functioning autism. *Frontiers in neuroengineering*, 7, 29.
- Pop-Jordanova, N., Zorsec, T., Demerdzieva, A., & Gucev, Z. (2010). QEEG characteristics and spectrum weighted frequency for children diagnosed as autistic spectrum disorder. *Nonlinear Biomedical Physics*, 4(1), 4
- Porges, S. W. (2003). The Polyvagal Theory: phylogenetic contributions to social behavior. *Physiol. Behav.* 79, 503–513. doi: 10.1016/S0031-9384(03)00156-2
- Porges, S. W. (2007). The polyvagal perspective. *Biol. Psychol.* 74, 116–143. doi: 10.1016/j.biopsych.2006.06.009
- Posthuma, D., & Polderman, T. J. (2013). What have we learned from recent twin studies about the etiology of neurodevelopmental disorders?. *Current opinion in neurology*, 26(2), 111-121.
- Ramadan, R.A., Refat, S., Elshahed, M.A. and Ali, R.A. (2015) Brain Computer Interface: A Review. In: Hassanien A., Azar A. (eds) Brain-Computer Interfaces. Intelligent Systems Reference Library, vol 74.30-50. Springer, Cham. doi:10.1007/978-3-319-10978-7_1

- Rapoport, J., Chavez, A., Greenstein, D., Addington, A., & Gogtay, N. (2009). Autism spectrum disorders and childhood-onset schizophrenia: clinical and biological contributions to a relation revisited. *Journal of the American Academy of Child & Adolescent Psychiatry*, 48(1), 10-18.
- Raymaekers, R., Wiersema, J. R., & Roeyers, H. (2009). EEG study of the mirror neuron system in children with high functioning autism. *Brain research*, 1304, 113-121.
- Renard, Y., Lotte, F., Gibert, G., Congedo, M., Maby, E., Delannoy, V., ... & Lécuyer, A. (2010). Openvibe: An open-source software platform to design, test, and use brain-computer interfaces in real and virtual environments. *Presence: teleoperators and virtual environments*, 19(1), 35-53.
- Rogers, S. J., Hepburn, S. L., Stackhouse, T., & Wehner, E. (2003). Imitation performance in toddlers with autism and those with other developmental disorders. *Journal of Child Psychology and Psychiatry*, 44, 763-781
- Sammler, D., Grigutsch, M., Fritz, T., & Koelsch, S. (2007). Music and emotion: electrophysiological correlates of the processing of pleasant and unpleasant music. *Psychophysiology*, 44(2), 293-304.
- Saunders, A., Kirk, I. J., & Waldie, K. E. (2016). *Hemispheric Coherence in ASD with and without Comorbid ADHD and Anxiety*. *BioMed Research International*, 2016, 1-12. doi:10.1155/2016/4267842
- Schwartz MS, Andrasik F. (2017). Biofeedback: a practitioner's guide. Guilford Publications, New York
- Scolnick, B. (2005). Effects of electroencephalogram biofeedback with Asperger's syndrome. *International Journal of Rehabilitation Research*, 28, 159-163.
- Siano, M., Pellegrino, L., Casadio, M., Summa, S., Garbarino, E., Rossi, V., Dall'Agata, D., & Sanguineti, V. (2015). Natural interfaces and virtual environments for the acquisition of street crossing and path following skills in adults with Autism Spectrum Disorders: A feasibility study. *Journal of NeuroEngineering and Rehabilitation*, 12(17), 1-13. DOI: 10.1186/s12984-015-0010-z
- Simões, M., Carvalho, P., & Castelo-Branco, M. (2012). Virtual reality and brain-computer interface for joint-attention training in autism. In *Proceedings 9th International Conference Disability, Virtual Reality and Associated Technologies* (pp. 507-510).
- Sodian, B., & Thoermer, C. (2008). Precursors to a theory of mind in infancy: Perspectives for research on autism. *Quarterly Journal of Experimental Psychology*, 61(1), 27-39. doi:10.1080/17470210701508681
- Sokhadze, E. M., El-Baz, A. S., Tasman, A., Sears, L. L., Wang, Y., Lamina, E. V., & Casanova, M. F. (2014). *Neuromodulation Integrating rTMS and Neurofeedback for the Treatment of Autism Spectrum Disorder: An Exploratory Study*. *Applied Psychophysiology and Biofeedback*, 39(3-4), 237-257. doi:10.1007/s10484-014-9264-7
- Sokhadze, E., Baruth, J. M., Sears, L., Sokhadze, G. E., El-Baz, A. S., & Casanova, M. F. (2012a). Prefrontal neuromodulation using rTMS improves error monitoring and correction functions in autism. *Applied Psychophysiology and Biofeedback*, 37(2), 91-102.

- Steiner, N. J., Frenette, E., Hynes, C., Pisarik, E., Tomasetti, K., Perrin, E. C., & Rene, K. (2014). A Pilot Feasibility Study of Neurofeedback for Children with Autism. *Applied Psychophysiology and Biofeedback*, 39(2), 99–107. doi:10.1007/s10484-014-9241-1
- Strehl, U. (2009). Slow cortical potentials neurofeedback. *Journal of Neurotherapy*, 13(2), 117–126.
- Supekar, K., Uddin, L. Q., Khouram, A., Phillips, J., Gaillard, W. D., Kenworthy, L. E., ... Menon, V. (2013). Brain Hyperconnectivity in Children with Autism and its Links to Social Deficits. *Cell Reports*, 5(3), 738–747. doi:10.1016/j.celrep.2013.10.001
- Tatum, W. O. (2014). Normal EEG. In W. O. Tatum (Ed.), *Handbook of EEG Interpretation* (2nd ed., pp. 1–56). Demos Medical Publishing.
- Teo, W.-P., Muthalib, M., Yamin, S., Hendy, A. M., Bramstedt, K., Kotsopoulos, E., ... Ayaz, H. (2016). Does a Combination of Virtual Reality, Neuromodulation and Neuroimaging Provide a Comprehensive Platform for Neurorehabilitation? – A Narrative Review of the Literature. *Frontiers in Human Neuroscience*, 10. doi:10.3389/fnhum.2016.00284
- Tillmann, J., San José Cáceres, A., Chatham, C. H., Crawley, D., Holt, R., Oakley, B., ... & Durston, S. (2019). Investigating the factors underlying adaptive functioning in autism in the EU-AIMS Longitudinal European Autism Project. *Autism Research*, 12(4), 645–657.
- Thompson, M., and Thompson, L. (2009). “Asperger’s syndrome intervention: combining neurofeedback, biofeedback and metacognition,” in *Introduction to Quantitative EEG and Neurofeedback*, 2nd Edn, eds T. H. Budzynski, H. K. Budzynski, J. R. Evans, and A. Abarbanel (Oxford: Elsevier Ltd), 365–415. doi: 10.1016/B978-0-12-374534-7.00015-0
- Thompson, L., Thompson, M., & Reid, A. (2010). Neurofeedback outcomes in clients with Asperger’s syndrome. *Applied psychophysiology and biofeedback*, 35(1), 63.
- Travers, B. G., & Alexander, A. L. (2013). Diffusion tensor magnetic resonance imaging in autism. In M. F. Casanova, S. E. Ayman, & J. Suri (Eds.), *Imaging the brain in autism* (pp. 179–229). New York, NY: Springer.
- Travers, B. G., Powell, P. S., Klinger, L. G., & Klinger, M. R. (2013). Motor difficulties in autism spectrum disorder: linking symptom severity and postural stability. *Journal of autism and developmental disorders*, 43(7), 1568–1583.
- Travers, B. G., Mason, A. H., Mrotek, L. A., Ellertson, A., Dean, D. C., Engel, C., ... & McLaughlin, K. (2018). Biofeedback-based, videogame balance training in autism. *Journal of autism and developmental disorders*, 48(1), 163–175.
- Tseng, R. Y., & Do, E. Y. L. (2011). The role of information and computer technology for children with autism spectrum disorder and the facial expression wonderland (FeW). *International Journal of Computational Models and Algorithms in Medicine (IJCMAM)*, 2(2), 23–41.
- Tsiaras, V., Simos, P. G., Rezaie, R., Sheth, B. R., Garyfallidis, E., Castillo, E. M., et al. (2011). Extracting biomarkers of autism from MEG resting-state functional connectivity networks. *Comput. Biol. Med.* 41, 1166–1177. doi: 10.1016/j.combiomed.2011.04.004

- Uddin, L. Q., Supekhar, K., Lynch, C. J., Khouzam, A., Phillips, J., Feinstein, C., ... Menon, V. (2013). *Salience Network-Based Classification and Prediction of Symptom Severity in Children with Autism.* *JAMA Psychiatry*, 70(8), 869. doi:10.1001/jamapsychiatry.2013.104
- Van Kokswijk, J., & Van Hulle, M. (2010, May). Self-adaptive BCI as service-oriented information system for patients with communication disabilities. In *4th International Conference on New Trends in Information Science and Service Science* (pp. 264-269). IEEE.
- Vernon D. J. (2005). Can neurofeedback training enhance performance? An evaluation of the evidence with implications for future research. *Applied Psychophysiol Biofeedback*, 30(4), 347–364. doi: 10.1007/s10484-005-8421-4.
- Vialatte, F. B., Maurice, M., Dauwels, J., & Cichocki, A. (2010). Steady-state visually evoked potentials: focus on essential paradigms and future perspectives. *Progress in neurobiology*, 90(4), 418-438.
- Villalobos, M. E., Mizuno, A., Dahl, B. C., Kemmotsu, N., and Muller, R. A. (2005). Reduced functional connectivity between V1 and inferior frontal cortex associated with visuomotor performance in autism. *Neuroimage* 25, 916–925. doi: 10.1016/j.neuroimage.2004.12.022
- Vuckovic, A., Pineda, J. A., LaMarca, K., Gupta, D., & Guger, C. (2014). Interaction of BCI with the underlying neurological conditions in patients: pros and cons. *Frontiers in neuroengineering*, 7, 42.
- Wainer, A. L., & Ingersoll, B. R. (2011). *The use of innovative computer technology for teaching social communication to individuals with autism spectrum disorders. Research in Autism Spectrum Disorders*, 5(1), 96–107. doi:10.1016/j.rasd.2010.08.002
- Wallace, S., Parsons, S., Westbury, A., White, K., White, K., & Bailey, A. (2010). Sense of presence and atypical social judgments in immersive virtual environments: response of adolescents with autistic spectrum disorder. *Autism: International Journal of Research and Practice*, 14 (3), 199–213. doi: 10.1177/1362361310363283
- Wang, Q., Sourina, O., & Nguyen, M. K. (2010, October). EEG-based" serious" games design for medical applications. In *2010 International Conference on Cyber worlds* (pp. 270-276). IEEE.
- Wang, M., & Anagnostou, E. (2014). *Virtual Reality as Treatment Tool for Children with Autism. Comprehensive Guide to Autism*, 2125–2141. doi:10.1007/978-1-4614-4788-7_130
- Wang, J., Barstein, J., Ethridge, L. E., Mosconi, M. W., Takarae, Y., & Sweeney, J. A. (2013). Resting state EEG abnormalities in autism spectrum disorders. *Journal of neurodevelopmental disorders*, 5(1), 24.
- Wang, Y., Sokhadze, E. M., El-Baz, A. S., Li, X., Sears, L., Casanova, M. F., & Tasman, A. (2016). Relative power of specific EEG bands and their ratios during neurofeedback training in children with autism spectrum disorder. *Frontiers in human neuroscience*, 9, 723. doi: 10.3389/fnhum.2015.00723

- Welch, K. C., Lahiri, U., Sarkar, N., Warren, Z., Stone, W., & Liu, C. (2011). Affect-sensitive computing and autism. In *Affective Computing and Interaction: Psychological, Cognitive and Neuroscientific Perspectives* (pp. 325-343). IGI Global.
- Welchew, D. E., Ashwin, C., Berkouk, K., Salvador, R., Suckling, J., Baron-Cohen, S., et al. (2005). Functional disconnectivity of the medial temporal lobe in Asperger's syndrome. *Biological Psychiatry*, 57, 991–998.
- Williams, R. M., & Gilbert, J. E. (2020). *Perseverations of the Academy: a survey of wearable technologies applied to autism intervention*. *International Journal of Human-Computer Studies*, 102485. doi:10.1016/j.ijhcs.2020.102485
- Williams, J.H., Waiter, G.D., Gilchrist, A., Perrett, D.I., Murray, A.D. & Whiten, A. (2006). Neural mechanisms of imitation and ‘mirror neuron’ functioning in autistic spectrum disorder. *Neuropsychologia* 44, 610–621. doi: 10.1016/j.neuropsychologia.2005.06.010
- Williams, J.H.G., Whiten, A., Suddendorf, T. and Perrett D.I. (2001). Imitation, mirror neurons and autism. *Neurosci Biobehav Rev*; 25: 287–95.
- Wilson, T.W., Rojas, D. C., Reite, M. L., Teale, P. D., and Rogers, S. J. (2007). Children and adolescents with autism exhibit reduced MEG steady-state gamma responses. *Biol. Psychiatry* 62, 192–197. doi: 10.1016/j.biopsych.2006.07.002
- Wing, L. (1969). The handicaps of autistic children— A comparative study. *Journal of Child Psychology and Psychiatry*, 10(1), 1-40.
- Wing, L. (1981). Asperger's syndrome: a clinical account. *Psychological Medicine*, 11, 115-129.
- Wing, L., Gould, J. (1979). Severe impairments of social interaction and associated abnormalities in children: Epidemiology and classification. *J Autism Dev Disord*, 9:11–29
- Wolpaw, J. R., and Wolpaw, E. W. (2012). “Brain-computer interfaces: something new under the sun,” in *Brain Computer Interfaces: Principles and Practice*, eds J. R. Wolpaw and E. W. Wolpaw (Oxford: Oxford University Press), pp. 3–20.
- Wolpaw, J. R., Birbaumer, N., McFarland, D. J., Pfurtscheller, G., & Vaughan, T. M. (2002). Brain–computer interfaces for communication and control. *Clinical neurophysiology*, 113(6), 767-791.
- Wolpaw, J. R. (2004). Brain-computer interfaces (BCIs) for communication and control: a mini-review. *Suppl Clin Neurophysiol*, 57, 607-13.
- Wood, G., Kober, S. E., Witte, M., & Neuper, C. (2014). On the need to better specify the concept of “control” in brain-computer-interfaces/neurofeedback research. *Frontiers in systems neuroscience*, 8, 171.
- World Health Organization, (2019) ICD-11: 6A02 – Autism spectrum disorder. Διαθέσιμο στο: <https://icd.who.int/en> (ανακτήθηκε στις 17/03/2020)
- World Health Organization. The ICD-10 classification of mental and behavioural disorders: clinical descriptions and diagnostic guidelines. World Health Organization; 1992.

- Zhu, H., Sun, Y., Zeng, J., & Sun, H. (2011). *Mirror neural training induced by virtual reality in brain–computer interfaces may provide a promising approach for the autism therapy*. *Medical Hypotheses*, 76(5), 646–647. doi:10.1016/j.mehy.2011.01.022
- Zhu, H., Zhao, M., & Sun, Y. (2015, September). A Prototype System for Autism Rehabilitation Based on Broken Mirror Theory. In *International Conference on Advances in Energy, Environment and Chemical Engineering*. Atlantis Press
- Zivoder, I., Martic-Biocina, S., Kosic, A. V., & Bosak, J. (2015). Neurofeedback application in the treatment of autistic spectrum disorders (ASD). *Psychiatr. Danub.*, 27, S391-S394.
- Ελληνική Εταιρία Προστασίας Αυτιστικών Ατόμων (ΕΕΠΑΑ) Αθήνα, (2004). Τι είναι ο αυτισμός: Συχνότητα εμφάνισης. Διάθεσιμο στο: <https://www.autismgreece.gr/ti-einai-o-aftimos/syxnotita-emfanisis.html> (ανακτήθηκε στις 19/03/2020)
- Καραμπατζάκη-Δημητρίου, Ζ. (2010). *Θέματα Ειδικής Αγωγής και Εκπαίδευσης*. Εκδόσεις: Πάραλος